PART 1 - GENERAL

1.1 SUMMARY

A. Description:

1. This section specifies the standards that the Contractor shall follow for their scope of work related to Facilities Management Data (FM Data) Requirements. This section also includes information related to documents that are required for operation and maintenance support functions.

2. This section does not negate any other section that requires Commissioning or Operations & Maintenance Data.

3. Part 3 includes information about owner provided tools for managing the facilities management data and documents.

B. Related Sections:

1. Section 01 70 00 - Contract Closeout

2. Section 01 91 00 - General Commissioning Requirements

PART 2 - PRODUCTS

2.1 SUBMITTALS

A. Facility Equipment Information

1. Content: The Contractor will provide facilities information, that is:

a. Contact Information (email, company name, website, phone number) per the following:
   i. general contractor(s)
   ii. sub-contractors installing products from ‘equipment information’ section
   iii. manufacturers providing equipment from ‘equipment information’ section
   iv. Example: info@trane.com, Trane, trane.com, 999.999.9999

i. Examplefor AHU1, the electr..3479.1 (ec 0.0d [(A)0[(i)-1 0 Td (Td

(XLS) exported from that web-based tool. Format of deliverables, content, and schedule are addr

Table 01 - Required Equipment List

Note 1: This list (table) includes required equipment that can also be called an “Equipment Type Matrix” because the list is organized by “Asset Types”.

Note 2: “Serialized” Assets are assets that will have an individual instance by piece of equipment and will be tracked individually. Example: AHU or Chiller. “Group” Assets are assets that will be handled as a “group” and not tracked individually. Example: Interior Lights

Asset Type (Note 1)	Comments	Type	System
DOOR POSITION SWITCH	One Per Building	Group	ACCESS
EXT DR		serialized	ACCESS
EXTERIOR DOORS, KEYED		serialized	ACCESS
INT DR		serialized	ACCESS
LOCK	One Per Building	Group	ACCESS
LOCKBOX		serialized	ACCESS
OPENER		serialized	ACCESS
SPECIAL ACTION DOORS		serialized	ACCESS
MANHOLE		serialized	ALL
METER		serialized	ALL
TANKS		serialized	ALL
CABINET		serialized	ARCHITECTURAL
CEILINGS	One Per Building	Group	ARCHITECTURAL
EXT WALLS	One Per Building	Group	ARCHITECTURAL
FIXED PARTITIONS		serialized	ARCHITECTURAL

FIXED

Table 02 - Equipment Attributes

System	Asset Type	Attributes
ACCESS	LOCKBOX	location
ACCESS	LOCKBOX	assetnumber
ACCESS	SpecialAction Doors	DoorType
ALL	MANHOLE	GPSCoordinate
ALL	METER	metertype
ALL	METER	remotereading
ALL	METER	readingranges
ALL	METER	temprange
ALL	METER	InstrumentatJ ET Q q 273.48 577.68 197.28 11.28 re

System	Asset Type	Attributes
HVAC	CoolingTower	operationtemperaturerange
HVAC	CoolingTower	ambientdesigndry bulbtemp
HVAC	CoolingTower	ambientdesignwet bulb temp
HVAC	Dampers	capacity*
HVAC	Dampers	

System	

Table 03 - Example Data Format

100	1	020 Lobby	Non Assignable: Public Circulation Are Foyer	1413.44	12	LOBBY	A105

Table 04 -Reference Document Example

Note –