# **10 00 00 SPECIALTIES**

### 10 00 03 GENERAL PROVISIONS

#### A. General

- 1. Design reviews will be coordinated by the SHSU Project Manager at regular intervals.
- 2. All specified items must have a demonstrated history in a similar institutional setting.
- 3. Avoid custom material(s) or material(s) that require significant specialized maintenance.
- 4. Construction documents must clearly identify and note specialty items, including their locations and mounting information.

# 10 10 00 INFORMATION SPECIALTIES

### 10 14 00 SIGNAGE

#### **EXTERIOR SIGNAGE**

See Appendix I SHSU Exterior Sign Standards

#### INTERIOR SIGNAGE

See Appendix II SHSU Interior Sign Standards

### **ROOM NUMBERING**

See Appendix III SHSU Room Numbering for University Buildings

### 10 20 00 INTERIOR SPECIALTIES

### 10 21 00 COMPARTMENTS AND CUBICLES

#### 10 21 13 Toilet Compartments

- A. Utilize vandal resistant Phenolic Partitions
- 1. Use Floor & Wall hung toilet partitions.
  - A. Where additional supports are required, such as at "L" shaped configurations or where one side is open, use posts to accommodate structural requirements. It is preferred the posts are as small as possible.
- 2. Use wall-mounted vanity panels at urinals.

#### 10 26 00 WALL AND DOOR PROTECTION

10 26 13 Corner Guards

- 1. Provide in all public spaces, service areas and at specialty finishes.
- 2. Protect outside corners of gypsum board partitions in public corridors to minimum 36" height.
- 3. Prefer wall protection at chair rail height for public areas with moveable seating.

# 10 28 00 TOILET, BATH AND LAUNDRY ACCESSORIES

- 10 8 13 Toilet Accessories
  - A. All Accessories shall be Stainless Steel
  - B. Provide and install toilet room accessories as follows:
    - 1. Tissue Dispenser Kimberly-Clark Professional SKU 09601
    - 2. Soap Dispenser Kimberly-Clark Professional SKU 91936
    - 3. Towel Dispenser Kimberly-Clark Professional SKU 31501

# 10 40 00 SAFETY SPECIALTIES

### 10 44 00 FIRE PROTECTION SPECIALTIES

10 ui0sor i1/M (w)6 (i)e2.6 (o)2s.I 0 Tc 0 Tw 15.6.77 Td 46-4 (I- ()Tuc.7 (r)-k>>BDC 12 -0ej4y.8 (i)6e)-1.7 (bj4 (I-